

Child IFSP Outcome Example



Francisco will drink from a cup without a lid with support from caregiver during family meals at home and in restaurants. We will know he can do this when he drinks most or all of the liquid we put in his cup without a lid for most meals or snacks each day for 2 weeks with caregiver support.

Let's break down Francisco's IFSP outcome:

Francisco will drink from a cup without a lid with support from caregiver

during family meals at home and in restaurants.

Child Skill

- ✓ Functional
- ✓ Measurable
- ✓ Prioritized
- ✓ Aligned with OSEP Child Outcomes

Family Routines



Francisco will practice this skill during meals

We will know he can do this when he drinks most or all of the liquid we put in his cup without a lid for most meals or snacks each day for 2 weeks with caregiver support.

Conditions



Francisco needs a cup with no lid and caregiver support to practice this skill

Criterion



Francisco's family and provider will know Francisco has learned this skill when he meets these criteria

Child IFSP Outcome Example



Aesha will point or gesture toward something she wants to eat, drink, or play with during meals and playtime when given two choices. We will know she can do this when she points or gestures to her choice at least once during most meals and playtime each day for most days during the week.

Let's break down Aesha's IFSP outcome:

Aesha will point or gesture toward something she wants to eat, drink, or play with

during meals and playtime when given two choices.

Child Skill

- ✓ Functional
- ✓ Measurable
- ✓ Prioritized
- ✓ Aligned with OSEP Child Outcomes

Family Routines



Aesha will practice this skill during meals and playtime

We will know she can do this when she points or gestures to her choice at least once during most meals and playtime each day for most days during the week.

Criterion



Aesha's family and provider will know when Aesha has learned this skill when she meets these criteria

Conditions



Aesha needs two choices to practice this skill

Family IFSP Outcome Example: Connected to a Routine



Doris will use positioning strategies during eating and bathing activities with Gabby to support his head and neck. We will know she can do this when she reports she can position Gabby safely without causing pain to his arm or back.

Let's break down Doris and Gabby's IFSP outcome:

Doris will use positioning strategies

Family Priority

- ✓ Functional
- ✓ Measurable
- ✓ Prioritized
- ✓ Aligned with OSEP Family Outcomes

during eating and bathing activities with Gabby to support his head and neck.

Family Routines



Doris and Gabby will practice this skill at mealtime and during bath

We will know she can do this when she reports she can position Gabby safely without causing pain to his arm or back.

Conditions



Doris needs to know how to position Gabby safely

Criterion



Doris's family and provider will know when she has learned this skill when she reports meeting these criteria

Family IFSP Outcome Example



Angela will find current, credible research information about the health and medical needs of children who have Down syndrome by reviewing resources recommended by her provider. We will know this has been accomplished when Angela reports she is satisfied with the amount of information she has found.

Let’s break down Angela and her family’s IFSP outcome:

Angela will find current, credible research information about the health and medical needs of children who have Down syndrome

Family Priority

- ✓ Functional
- ✓ Measurable
- ✓ Prioritized
- ✓ Aligned with OSEP Family Outcomes

by reviewing resources recommended by her provider.

Conditions



Angela needs her provider to recommend resources

We will know this has been accomplished when Angela reports she is satisfied with the amount of information she has found.

Criterion



Angela’s family and provider will know when she has met this outcome when she reports meeting these criteria